Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 32

NUMBER 41

OCTOBER 12, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT

5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Quarantine service in the Virgin Islands—Executive order placing the administration of the quarantine service under the Public Health Service..... 1705
The control of communicable diseases—Report of the American Public Health Association committee on standard regulations, appointed in October, 1916. 1706

PREVALENCE OF DISEASE.

United States:
Current State summaries—
California report for the week ended October 6, 1917..... 1734
Anthrax—
Massachusetts—Lynn..... 1734
Cerebrospinal meningitis—
State reports for August, 1917..... 1734
City reports for week ended September 22, 1917..... 1735
Diphtheria—
Illinois—Edwardsville..... 1735
Maryland—Gapland..... 1735
West Virginia—Peru..... 1735
Erysipelas—
City reports for week ended September 22, 1917..... 1735
Leprosy—
Hawaii report for August, 1917..... 1735
Malaria—
Virginia report for August, 1917..... 1736
City reports for week ended September 22, 1917..... 1736
Pellagra—
Virginia report for August, 1917..... 1737
City reports for week ended September 22, 1917..... 1737
Pneumonia—
City reports for week ended September 22, 1917..... 1737
Poliomyelitis (infantile paralysis)—
Illinois..... 1738
Kansas..... 1738
Vermont..... 1738
West Virginia..... 1738
State reports for August, 1917..... 1738
City reports for week ended September 22, 1917..... 1739
Rabies in animals—
City reports for week ended September 22, 1917..... 1739
Scarlet fever—
Montana—Helena and East Helena..... 1739
Smallpox—
Arkansas..... 1739
Illinois..... 1739
Minnesota..... 1739
Virginia report for August, 1917..... 1740
City reports for week ended September 22, 1917..... 1740

United States—Continued. Page.
Tetanus—
City reports for week ended September 22, 1917..... 1740
Typhoid fever—
Maryland—Maryland School for Boys—Loch Raven..... 1740
Massachusetts—Tewkesbury State Infirmary..... 1740
State reports for August, 1917..... 1741
City reports for week ended September 22, 1917..... 1742
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for August, 1917..... 1743
City reports for week ended September 22, 1917..... 1743
Foreign:
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended October 12, 1917—
Cholera..... 1747
Plague..... 1747
Smallpox..... 1747
Typhus fever..... 1747
Reports received from June 30 to October 5, 1917—
Cholera..... 1748
Plague..... 1749
Smallpox..... 1750
Typhus fever..... 1752
Yellow fever..... 1754